

PL-TR-96-2174

**DEVELOPMENT OF A LITHOSPHERIC MODEL
AND GEOPHYSICAL DATA BASE FOR
NORTH AFRICA**

**D. I. Doser
G. R. Keller
S. Harder
K. C. Miller**

**University of Texas/El Paso
Department of Geological Sciences
El Paso, TX 79968-0555**

19 July 1996

Scientific Report No. 1

approved for public release; distribution unlimited



**PHILLIPS LABORATORY
Directorate of Geophysics
AIR FORCE MATERIEL COMMAND
HANSCOM AFB, MA 01731-3010**

19961114 099


EXCEL QUALITY INSPECTED


SPONSORED BY
Department of Energy
Office of Non-Proliferation and National Security

MONITORED BY
Phillips Laboratory
CONTRACT No. F19628-C-0104

The views and conclusions contained in this document are those of the authors and should not be interpreted as representing the official policies, either express or implied, of the Air Force or U.S. Government.

This technical report has been reviewed and is approved for publication.


DELAINE REITER
Contract Manager
Earth Sciences Division


JAMES F. LEWKOWICZ
Director
Earth Sciences Division

This report has been reviewed by the ESD Public Affairs Office (PA) and is releasable to the National Technical Information Service (NTIS).

Qualified requestors may obtain copies from the Defense Technical Information Center. All others should apply to the National Technical Information Service.

If your address has changed, or you wish to be removed from the mailing list, or if the addressee is no longer employed by your organization, please notify PL/IM, 29 Randolph Road, Hanscom AFB, MA 01731-3010. This will assist us in maintaining a current mailing list.

Do not return copies of this report unless contractual obligations or notices on a specific document requires that it be returned.

DISCLAIMER NOTICE



**THIS DOCUMENT IS BEST
QUALITY AVAILABLE. THE
COPY FURNISHED TO DTIC
CONTAINED A SIGNIFICANT
NUMBER OF PAGES WHICH DO
NOT REPRODUCE LEGIBLY.**

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.				
1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE July 19, 1996		3. REPORT TYPE AND DATES COVERED Scientific No. 1
4. TITLE AND SUBTITLE Development of a Lithospheric Model and Geophysical Data Base for North Africa			5. FUNDING NUMBERS F19628-95-C-0104 PE 69120H PRDENN TAGM WUAI	
6. AUTHOR(S) D.I. Doser, G.R. Keller, S. Harder, and K.C. Miller				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Department of Geological Sciences University of Texas at El Paso El Paso, TX 79968-0555			8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Phillips Laboratory 29 Randolph Rd. Hanscom AFB, MA 01731-3010 Contract Manager: Delaine Reiter/GPE			10. SPONSORING/MONITORING AGENCY REPORT NUMBER PL-TR-96-2174	
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION/AVAILABILITY STATEMENT Approvde for Public Release; Distribution Unlimited			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) We have collected seismic, geologic, gravity and other potential field data to develop a model of the North Arican lithosphere via an integrated approach. We have constructed a gravity data base for the region, including over 5300 gravity readings for northern Libya. We have generated a Bouguer gravity map of northern Africa and are currently modeling gravity data along three transects across North Africa. These results were used as the basis on which to construct a preliminary map of crustal thickness for the region. The maps and interpreted transects are available through a World Wide Web site, and the gravity data base can also be accessed electronically. We have begun a collection of seismograms from Worldwide Standardized Seismograph Netowrk stations located at regional distances from magnitude greater than 5.0 earthquakes occurring within North Africa (between 1963 and 1988) and their associated aftershocks. We have collected delay time, travel time, focal mechanisms, focal depth and magnitude information for these sequences for further analysis. At present, these data are being compiled into a database available on floppy diskette, but will eventually be transferred to a World Wide Web site.				
14. SUBJECT TERMS North Africa Lithospheric Data Base			15. NUMBER OF PAGES 44	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT SAR	

Contents

Acknowledgments.....	v
Summary	vii
Introduction	1
Methods, Assumptions, and Procedures	1
Geological Data Base	1
Gravity Data Base	3
Seismic Data Base	3
Results and Discussion	9
Gravity Modeling	9
Crustal Thickness Map	12
Conclusions	15
References	16
Appendix A: Documentation of Geological Data Base	19
Appendix B: Documentation of Gravity Data Base	26
Appendix C: Documentation of Seismic Data Base	27

List of Figures

1. Generalized Tectonic Map of Northern Africa	2
2. Bouguer Gravity Map with Uplifts	4
3. Magnitude ≥ 5.0 Earthquakes of Northern Africa (1963-1988)	5
4. P-wave Delay Time Versus Azimuth	8
5. Example of Regional Waveform Data for an El Asnam Aftershock	10
6. Interpretation of Gravity Data Along Profile 1	11
7. Interpretation of Gravity Data Along Profile 3	13
8. Crustal Thickness Map for Africa	14
A1. Cretaceous Basins and Faults, Moho Contours for Tunisia	20
A2. Rifts of Southern Study Area, Structure of Libya	21
A3. Structure of Central Libya, Structure of Hoggar Uplift	22
A4. Cretaceous Basins of Northeastern Study Area	23
A5. Structure of Mesozoic in Libya, Tectonic Features of West Africa.	24
A6. Structure of Precambrian in Libya, Structure of West Africa	25
C1. Example of Page From Master Spreadsheet	28
C2. Example of Spreadsheet for Aftershock	29

List of Tables

Table 1. Magnitude ≥ 5.0 Earthquakes of Northern Africa (1963-1988)	6
Table 2. Focal Mechanisms of $M \geq 5.0$ Earthquakes of Northern Africa	7

Acknowledgements

The following students have participated in this study: Paul Dial (Ph.D. level - geologic data base, gravity data base and gravity modeling), Shelley VanDusen (M.S. level - seismic data base, geologic data base), Annette Veilleux (B.S. level Jan. to May, M.S. level at present - seismic data base), Jose Granillo (M.S. level - seismic data base), Tim Maciejewski (M.S. level - gravity data base), and Terry O'Donnell (B.S. level - geologic data base). In addition, we have received assistance from Dr. Andy Nyblade (Penn State University - heat flow data base) and Dr. Derrick Fairhead (Leeds University - gravity data base).

Summary

We have collected seismic, geologic, gravity and potential field data to develop a model of the North African lithosphere via an integrated approach. We are currently modeling the gravity data along three transects across North Africa: 1) from north central Egypt across Libya to the Hoggar Uplift, 2) from central Tunisia across northern Algeria to the Atlantic coast of Morocco, 3) from north central Algeria across the Hoggar Uplift to northern Chad. These transects represent the major propagation paths between earthquakes and nuclear explosions and seismograph stations located within North Africa. The gravity models are constrained wherever possible by geologic and other geophysical information. Crustal thicknesses we have obtained for the Hoggar Uplift (38 km) agree well with preliminary results of seismological studies by other research groups. Our modeling results also suggest that the mantle anomaly under the Hoggar Uplift is relatively small (200-300 km wide, less than 60 km in vertical extent) compared to mantle anomalies associated with other hot spots and rift zones.

We have used our modeling results in conjunction with other geophysical studies to construct a preliminary map of crustal thickness for Africa. In most places away from the continental margin, the crust in North Africa is 35-40 km thick. Crustal thinning is associated with the Sirt Basin and the West and Central African rift system. Moderate crustal thickening is associated with the Atlas Mountains.

In addition to our gravity studies, we have been compiling a collection of seismograms from Worldwide Standardized Seismograph Network (WWSSN) stations located at regional distances for magnitude ≥ 5.0 earthquakes occurring within North Africa (between 1963 and 1988) and their associated aftershocks. We have selected these earthquake sequences for study since many of the mainshocks have known focal mechanisms determined from teleseismic waveform modeling or first motion studies of regional, teleseismic and/or local network data. Many of the events produced numerous aftershocks of varying magnitudes. Using the lithospheric models obtained from the gravity modeling as first approximations of the velocity structure, we will model the regional waveforms of these earthquake sequences. We have also collected delay time, travel time, source parameter and magnitude information for these sequences for further analysis.

Introduction

North Africa has been the object of considerable oil exploration and a fair number of papers containing geological interpretations of upper crustal structure have been published. However, very few papers contain basic data which are relevant on the scale of a lithospheric investigation. Our task has been to develop a model of North African lithosphere via an integrated analysis of seismic, potential field, and geologic data. In particular, we have concentrated on constructing detailed 2-D models from known earthquake source regions to key seismic monitoring stations in the region. An outgrowth of this effort is a data base of geological and geophysical information which will be made available to the scientific community through electronic access.

Although data are sparse in many regions, it is clear that North Africa has experienced a complex evolution (Figure 1). The structure of the lithosphere presently must bear the signature of these tectonic events, and seismic waves propagating through it must be affected. The Pan-African orogeny (750-500 Ma) may represent the time at which the shield areas formed by terrane accretion (Black et al. 1994). This could be similar to the formation of the China region in the Paleozoic and Mesozoic. During the Paleozoic, the Caledonian and Hercynian orogenies affected the region and formed a series of basins and uplifts in a manner similar to the evolution of the midcontinent region of the U.S. during this same period. In the Cretaceous, Africa was subjected to widespread rifting and nearly split apart (Fairhead, 1992). During the Tertiary, the Alpine orogeny affected North Africa, most notably forming the Atlas Mountains. Volcanic centers such as Hoggar and Tibesti formed on topographic uplifts which are believed to related to mantle plumes (Figure 1).


Our approach to constructing a lithospheric model and data base for North Africa has been to integrate information such as well logs, gravity measurements, aeromagnetic surveys, heat flow measurements, and geologic maps to first develop lithospheric models along key profiles in North Africa. We then will use these models as a starting point for modeling seismograms at regional distances, refining the models as the seismic data require. In following subsections we describe our data collection process. We then discuss the results of our gravity modeling and analysis. The appendices describe the data bases we have collected and how they can be accessed electronically.

Methods, Assumptions and Procedures

Geological Data Base

We have digitized the locations of numerous geological features within the North African region to aid in our interpretation of gravity and seismic data. These features include: surface exposures of Precambrian rocks in the major uplifts, depth to Paleozoic and Mesozoic basement within the Sirt Basin of Libya, surface faults within the Sirt Basin, the location of Pan-African suture zones and Cretaceous and Cenozoic age rifts, and the boundaries of West and Central African rift basins. Maps of these features are shown in Appendix A, along with details on how these outlines can be accessed electronically.

A



B




Figure 1. Generalized tectonic maps of northern Africa A-northwest; B-northeast

Gravity Data Base

We have collected gravity data from a number of sources. First we began with the unclassified data from the global data base maintained by the Defense Mapping Agency. For these data, we have complete information including elevation and there are over 36,000 data points. To this we have added data from Libya which were compiled by one of our graduate students (Suleiman, 1993). These data (over 5000 points) come from a variety of industrial sources, and thus, complete information is lacking. We do have latitude, longitude, and Bouguer anomaly value (density - 2.67 gm/cc). Details concerning these data are available in Appendix B.

A third and very important set of data was obtained in the form of a 5'x5' Bouguer gravity anomaly grid from GETECH, which is associated with Leeds University. These data are for the region between 0° and 37°N and 12°W and 40°E. We are only free to use these data in the form of maps which are contoured at intervals of 10 mGal or greater. Gravity station locations were also provided so that we can clearly see the constraints that these data provide. In addition, the station elevations were used by GETECH to correct errors in the ETOPO5 topographic data base, and we are using this commercial product in our study. The ETOPO 5 data base is available from the National Geophysical Data Center, and the corrected data are directly available from GETECH.

All three data sets have been merged to produce the Bouguer gravity map of Northern Africa (Figure 2). Details on the availability of these data can be found in Appendix B.

Seismic Data Base

We have selected a series of magnitude ≥ 5.0 earthquakes and their associated aftershocks occurring between 1963 and 1988 (the major years of operation of the WWSSN) for study (Figure 3, Table 1). Many of the mainshocks have focal mechanisms determined from teleseismic waveform modeling or first motion studies (Table 2). Some sequences produced numerous aftershocks, and we are collecting data for all events above magnitude 3.5. The data we are collecting consist of: 1) location, origin time, arrival time, delay time, magnitude, and first motion information from listings of the International Seismological Centre or the U.S. Geological Survey's Earthquake Data Report, 2) published focal mechanisms, focal depth and other source parameter information determined from teleseismic or local network information, and 3) waveform data copied from microfiche for WWSSN stations located at regional distances from the events of interest.

We have collected about 75% of the listing information and have entered much of the information into a PC based version of the EXCEL spreadsheet/data base software. Examples of spreadsheets and other details related to this information are given in Appendix C. Figure 4 shows an example of how we plan to compare P-wave delay times versus azimuth for events within different regions of North Africa. This plot shows the delays for a magnitude 4.5 aftershock of the 1969 northern Red Sea earthquake sequence.

We have conducted a fairly extensive search of the literature for focal mechanism information and believe we have collected about 90% of the available focal mechanisms. We hope to determine focal mechanisms for other $M \geq 5.0$ events from first motion

Bouguer Gravity Map of Northern Africa




Figure 2. Preliminary Bouguer gravity map of North Africa. Contour interval: 20 mgal. Precambrian outline of Ahaggar (Algeria), Tibesti (S. Lybia), and Darfur (E. Chad and W. Sudan) domal uplifts shown in dark black. Locations of three crustal-scale gravity profiles also shown in white.




Figure 3. Magnitude ≥ 5.0 earthquakes of North Africa (1963-1988). Large circles are magnitude ≥ 6.0 earthquakes. Labeled diamonds represent locations of WWSSN stations operating during the period of interest.

Table 1. Magnitude ≥ 5.0 Earthquakes (1963-1988) in North Africa of Interest to This Study

<u>Date</u>	<u>Time</u>	<u>Magnitude</u>	<u>Location</u>
Feb. 21, 1963	1724	5.0	Gulf of Sidra
May 11, 1963	0110	5.8	Gulf of Sidra
Jan. 1, 1965	2138	5.0	M'Sila, Algeria
Jan. 26, 1967	1611	5.1	Tunisia
July 13, 1967	0210:	5.0	Algeria
Apr. 17, 1968	0912	5.1	Boudinar, Morocco
Mar. 24, 1969	1154	5.2	N. Red Sea, Egypt
Mar. 31, 1969	0715	6.0	N. Red Sea, Egypt
Mar. 31, 1969	2142	5.0	N. Red Sea, Egypt
Apr. 8, 1969	1031	5.2	N. Red Sea, Egypt
Apr. 16, 1969	0812	5.0	N. Red Sea, Egypt
Apr. 23, 1969	1337	5.0	N. Red Sea, Egypt
Dec. 1, 1970	0102	5.2	Tunisia
Jan. 12, 1970	0815	5.1	N. Red Sea, Egypt
Sept. 2, 1972	1453	5.3	Gulf of Sidra
June 28, 1972	0949	5.5	N. Red Sea, Egypt
Nov. 24, 1973	1405	5.1	Algeria
Nov. 24, 1973	1522	5.3	Algeria
April 29, 1974	2004	5.0	Nile Delta, Egypt
Sept. 4, 1974	0629	5.5	Tripoli, Libya
Jan. 1, 1977	2046	5.7	A'in Soltane, Tunisia
Dec. 9, 1978	0713	5.3	W. Egypt
Oct. 10, 1980	1539	6.1	El Asnam, Algeria
Oct. 10, 1980	1733	5.2	El Asnam, Algeria
Oct. 10, 1980	1908	5.0	El Asnam, Algeria
Oct. 13, 1980	0637	5.0	El Asnam, Algeria
Oct. 14, 1980	1734	5.0	El Asnam, Algeria
Oct. 30, 1980	2338	5.1	El Asnam, Algeria
Nov. 8, 1980	0754	5.1	El Asnam, Algeria
Dec. 12, 1980	1332	4.8	El Asnam, Algeria
Dec. 7, 1980	1737	5.1	El Asnam, Algeria
Jan. 15, 1981	0425	5.1	El Asnam, Algeria
Feb. 1, 1981	1320	5.2	El Asnam, Algeria
Oct. 27, 1985	1934	5.7	Constantine, Algeria

Table 2. Focal Mechanisms for $M \geq 5.0$ North African Earthquakes (1963-1988)

<u>Date</u>	<u>Mechanism strike,dip,rake</u>	<u>Data Used</u>	<u>Reference</u>
Feb. 21, 1963	243,75,90	first motion	McKenzie (1972)
Jan. 1, 1965	70,65,68	first motion	McKenzie (1972)
July 13, 1967	167,30,90	first motion	McKenzie (1972)
Mar. 31, 1969	330,50,5	waveforms	Ben-Menahem et al. (1976)
	325,50,-40	first motion	McKenzie et al. (1970)
Jan. 12, 1972	8,86,-10	waveforms	Pearce (1980)
June 28, 1972	350,80,10	waveforms	Pearce (1977)
Apr. 29, 1974	310,47,-17	waveforms	Ben-Menahem et al. (1976)
Sept. 4, 1974	297,37,-141	waveforms	Westaway (1990)
Oct. 10, 1980	225,54,83	waveforms	Deschamps et al. (1982)
Oct. 30, 1980	42,40,72	first motion	Yielding et al. (1989)
Nov. 8, 1980	41,64,75	first motion	Yielding et al. (1989)
	50,30,97	first motion	Ouyed et al. (1983)

4/5/69 P delay vs. azimuth




Figure 4. Plot of P-delay (observed minus predicted arrival time from listings of the International Seismological Centre) versus azimuth from event to station for an aftershock of the 1969 northern Red Sea earthquake sequence.

information we have collected using the grid search program of Whitcomb (1973) to determine a best fit focal mechanism.

About 50% of the regional waveform data have been collected, and we have just begun to digitize these seismograms. Figure 5 shows an example of an M=5.0 aftershock of the October 1980 El Asnam sequence recorded at Toledo, Spain (TOL) located at 625 from the event. During the second year of the research we will model these waveforms to validate and update the preliminary lithospheric models obtained from the gravity data. We will employ reflectivity (Randall and Taylor, written comm., 1993) and full waveform finite difference (Sandmeier, 1990) in this modeling process.

Results and Discussion

Gravity Modeling

Once we had merged the GETECH data into our existing database, we selected three profiles across the region to model (Figure 2). These profiles represent important propagation paths between earthquakes and seismograph stations located within North Africa. Profile 1 extends from central Egypt, the site of several recent earthquakes and seismograph stations (such as HLW), across central Libya, where we have good geological and geophysical control on crustal structure (e.g. Suleiman, 1993; Nyblade et al., 1996), to the Hoggar Uplift of southern Algeria (site of station TAM, Tamanrasset, and several French nuclear tests in the early 1960's). Profile 2 extends across the Atlas Mountains from the Atlantic coast of Morocco to central Tunisia. Seismograph stations are located along this profile in Morocco, Algeria and Tunisia, and earthquakes occur throughout the region. Profile 3 extends from north central Algeria across the Atlas Mountains to the Hoggar uplift. This profile is along the propagation path between northern Algerian earthquakes and TAM. A preliminary velocity model has been obtained by McNamara et al. (1996) from regional seismograms whose waves propagate along paths that parallel Profile 3.

The preliminary density model we have obtained for Profile 1 is shown in Figure 6. The upper part of our model reflects the basin structure of Egypt, Libya and Algeria obtained from published geological and geophysical studies of these basins (e.g. Goudarzi, 1980; van der Meer and Cloetingh, 1993; Guirard and Maurin, 1992; Exxon, 1985), primarily related to their petroleum potential. Since our knowledge of the upper crust below the sedimentary basins and the lower crust is poor, we have treated these units as having uniform densities. We varied thicknesses of these units only as required to match the long wavelength features of the observed gravity data. Note that we have not attempted to match every short wavelength feature of the profile, since our knowledge of the shallow geology is incomplete. The shallow geology also should influence regional waveform propagation less than the deeper crustal structure.

Profile 1 shows a relatively uniform boundary between the upper and lower crust. There is a gradual shallowing of the crust/mantle boundary between the Hoggar Uplift (38 km) and the Egyptian coast of the Mediterranean (26 km) (Sweeney, 1995). A similar eastward shallowing of the crust/mantle boundary is observed in northern Libya (Suleiman, 1993). The crustal thickness of the Hoggar Uplift is in good agreement with the velocity model of McNamara et al. (1996) and recent receiver function studies at TAM (E. Sandoval, pers. comm., 1996).




Figure 5. Seismogram of magnitude 5.0 aftershock of the October 1980 El Asnam, Algeria, earthquake sequence. Seismogram was recorded on the long-period vertical instrument operating at Toledo, Spain (TOL).




Figure 6. Preliminary interpretation of gravity data along Profile 1 trending West-East from Ahaggar domal uplift (Algeria) to Mediterranean coastline (Egypt) (total length=2620 km). Above: Observed and calculated gravity values for each station along profile. Below: Crustal model used to generate calculated gravity values. Moho discontinuity shown in bold. Numbers are densities for the bodies (g/cm^3).

Figure 7 shows a preliminary interpretation of Profile 3. The shallow upper crustal structure is constrained from knowledge of basin geometries and thicknesses (e.g. Schurmann, 1974; UNESCO, 1971; Lesquer et al., 1988). The Moho depth at the northern end of the profile is constrained by the results of the European Geotraverse (Ansorge et al., 1992). The crust appears to rapidly thicken beneath the Atlas Mountains, then gradually thicken to the south. Again, the Hoggar Uplift can be modeled with a 38 km thick crust. A gravity low over the uplift suggests the presence of an upper mantle anomaly with width of 200 to 300 km and depth of 40 to 60 km. This is much smaller than observed under the Ethiopian and Kenya domes.

Crustal Thickness Map

Figure 8 shows a preliminary map of crustal thickness based on an integrated analysis of the limited seismic constraints and Bouguer gravity data. Note that the crust is generally 35-40 km thick away from the continental margins. There is a moderate amount of crustal thickening associated with the Atlas Mountains. Crustal thinning is associated with the Sirt Basin and the West and Central African rift system and the adjacent Cameroon line. The lack of a major crustal anomaly associated with the domal uplifts such as the Hoggar is surprising, and we will be investigating this and updating the contour map as our study progresses.




Figure 7. Preliminary interpretation of gravity data along Profile 3 trending South-North from Air massif (Niger) to Mediterranean coastline (Algeria) (total length=2240 km). Above: as in Figure 6. Below: as in Figure 6, with body of density 3.25 g/cm^3 representing possible mantle upwelling.



Figure 8. Preliminary crustal thickness map for Africa. Contour interval - 5 km.

Conclusions

We are continuing our modeling of gravity Profile 2 along the axis of the Atlas Mountains. Further 2-D filtering and analysis of the gravity data set is also planned. Modeling of regional seismic phases will continue throughout the next year. We will analyze the variations in travel times and magnitude estimates for the earthquake sequences of interest. Our final results will be a geophysical and geological data base for North Africa that will be easily accessible to the scientific community and a series of "best" lithospheric models for regions of North Africa that have been validated through waveform modeling of regional seismic phases.

References

- Ansorge, J., D. Blundell, and St. Mueller, 1992. Europe's lithosphere-seismic structure, in *A Continent Revealed: The European Geotraverse*, D. Blundell, R. Freeman and St. Mueller (eds.), Cambridge University Press, 33-69.
- Ben-Menahem, A., A. Nur, and M. Vered, 1976. Tectonics, seismicity and structure of the Afro-Eurasian junction - the breaking of an incoherent plate, *Phys. Earth and Planet. Inter.* 12, 1-50.
- Black et al., 1994. Pan-African displaced terranes in the Tuareg shield (central Sahara), *Geology* 22, 641-644.
- Dautria, J. M., and A. Lesquer, 1989. An example of the relationship between rift and dome: recent geodynamic evolution of the Hoggar swell and its nearby regions (Central Sahara, Southern Algeria and Eastern Niger), *Tectonophysics* 153, 45-61.
- Deschamps, A., Y. Gaudemer, and A. Cisternas, 1982. The El Asnam, Algeria, earthquake of 10 October 1980: multiple-source mechanism determined from long-period records, *Bull. Seismol. Soc. Am.*, 72, 1111-1128.
- Exxon Basin Analysis Section, 1985. *Tectonic Map of the World*, 1:10,000,000.
- Fairhead, D. 1992. A plate tectonic setting for Mesozoic rifts of west and central Africa, *Tectonophysics* 213, 141-151.
- Genik, G. J., 1992. Regional framework, structural and petroleum aspects of rift basins in Niger, Chad and the Central African Republic (C.A.R.). In: P.A. Ziegler (ed.), *Geodynamics of Rifting, Vol. II. Case History Studies on Rifts: North and South America and Africa*, *Tectonophysics* 213, 169-185.
- Goudarzi, G. H., 1980. Structure-Libya, in *The Geology of Libya, Volume III*, 879-892.
- Guirard, R. and J.-C. Maurin, 1992. Early Cretaceous rifts of western and central Africa: an overview, in P.A. Ziegler (ed.), *Geodynamics of Rifting, Volume II, Case History Studies on Rifts: North and South America and Africa*, *Tectonophysics* 212, 153-168.
- Kirton, M., and A. Bourennani, 1984. Geophysics as an aid to geological mapping - a case history from the Hoggar region of Algeria, *Exploration Geophysics* 15, 179-186.
- Lesquer, A., A. Bourmatte, and J. M. Dautria, 1988. Deep structure of the Hoggar domal uplift (central Sahara, south Algeria) from gravity, thermal and petrological data, *Tectonophysics*, 152, 71-87.
- Lesquer, A., D. Takherist, J. M. Dautria, and O. Hadiouche, 1990. Geophysical and petrological evidence for the presence of an "anomalous" upper mantle beneath the Sahara basins (Algeria), *Earth and Planet. Sci. Lett.* 96, 407-418.
- McKenzie, D., 1972. Active tectonics of the Mediterranean region, *Geophys. J. Roy. Astron. Soc.* 30, 109-185.

- McKenzie, D.P., D. Davies, and P. Molnar, 1980. Plate tectonics of the Red Sea and East Africa, *Nature* 226, 242-248.
- McNamara, D. E., W.R. Walter, C. Schultz and G. Goldstein, 1996. Regional phase propagation in Northern Africa and the Mediterranean (abstract), *Seismol. Res. Lett.* 67, 47.
- Nyblade, A.A., I.S. Suleiman, R. Roy, B. Pursell, A.S. Suleiman, D.I. Doser, and G.R. Keller, 1996, Terrestrial heat flow in the Sirt Basin, Libya, in press, *J. Geophys. Res.*
- Ouyed, M., G. Yielding, D. Hatzfeld, and G. King, 1983. An aftershock study of the El Asnam (Algeria) earthquake of 1980 October 10, *Geophys. J. Roy. Astr. Soc.* 73, 605-639.
- Pearce, R. G., 1977. A study of earthquake modelling with applications to the East African Rift System, Ph.D. Dissert., University of Newcastle upon Tyne.
- Pearce, R. G., 1980. Fault plane solutions using relative amplitudes of P and surface reflections: Further studies, *Geophys. J. Roy. Astr. Soc.* 60, 459-487.
- Research Group for Lithospheric Structure in Tunisia, 1992. The EGT'85 seismic experiment in Tunisia: a reconnaissance of the deep structure. In: R. Freeman and S.T. Mueller (eds.), *the European Geotraverse, Part 8, Tectonophysics* 207, 245-267.
- Sandemeir, K.-J., 1990. Untersuchung der Ausbreitungseigenschaften seismischer Wellen in geschichteten und streuenden Medien, Ph.D. Dissert., Karlsruhe University.
- Schurmann, H.M.E., 1974, *The Precambrian in North Africa*, E.J. Brill, Leiden, The Netherlands, 351 pp.
- Suleiman, A.S., 1993. Geophysics of the rifts associated with the Sirt Basin (North Africa) and the Anadarko Basin (North America), Ph.D. Dissertation, The University of Texas at El Paso, 150 pp.
- Sweeney, J.J., 1995. Preliminary maps of crustal thickness and regional seismic phases for the Middle East and North Africa, Lawrence Livermore Lab. Rept. UCRL-ID-122080, 13 pp.
- UNESCO, 1971. *Tectonics of Africa*, UNESCO, Paris, 602 pp.
- UNESCO, 1986. *Carte geologique internationale de l'Afrique*, scale 1:5,000,000.
- van der Meer, F., and S. Cloetingh, 1993. Intraplate stresses and the subsidence history of the Sirte Basin (Libya), *Tectonophysics* 226, 37-58.
- Van Houten, F.B., 1983. Sirte Basin, north-central Libya: Cretaceous rifting above a fixed mantle hotspot?, *Geology* 11, 115-118.
- Westaway, R. , 1990. The Tripoli, Libya, earthquake of September 4, 1974: Implications for the active tectonics of the central Mediterranean, *Tectonics* 9, 231-248.

Whitcomb, J. H., 1973. The 1972 San Fernando earthquake series focal mechanisms and tectonics, Ph.D. Dissert. (part II), Calif. Inst. of Tech., Pasadena.

Yielding, G., M. Ouyed, G.C.P. King and D. Hatzfeld, 1989. Active tectonics of the Algerian Atlas Mountains - evidence from aftershocks of the 1980 El-Asnam earthquake, Geophys. J. Int. 99, 761-788.

Appendix A - Documentation of Geological Data Base

The following pages show maps of North African geological features that we have digitized. The data are available at the UTEP Department of Geological Sciences web site under North Africa Project. The sources of data used for the maps we have generated are given below, along with information on the scales of the original maps.

Figure 2 shows the outlines of exposed Precambrian rocks in the Hoggar, Tibesti and Darfur uplifts (heavy, dark lines). These exposures were taken from UNESCO (1986) (1:5,000,000).

Two sets of data are shown in Figure A1. The white lines in the south and northeastern portions of the study area represent Early Cretaceous basins and faults taken from Guirard and Maurin (1992) (~1:55,000,000). White contours in northern Tunisia show a Moho contour map from Research Group for Lithospheric Structure in Tunisia (1992) (~1:600,000).

Rift basins in Niger, Chad and the central African Republic are shown by white lines in Figure A2. They have been digitized from Genik (1992) (~1:2,500,000). Basement faults in north-central Libya are from van der Meer and Cloetingh (1993).

Figure A3 shows structural features of central Libya from Goudarzi (1980) (~1:1,500,000). Structure in Algeria and Chad is from Dautria and Lesquer (1989) (1:10,500,000).

Locations and thickness of Early Cretaceous basins in the northeastern portion of North Africa is shown on Figure A4. These data are from Van Houten (1983) (~1:1,500,000).

Contour map at base of Mesozoic rocks in Libya (Goudarzi, 1980; ~1:1,500,000) is shown in Figure A5. Major geotectonic units of West Africa (Lesquer et al., 1990) are also shown.

A structural contour map of the top of the Precambrian basement in Libya (Goudarzi, 1980; ~1,500,000) is shown in Figure A6. Lines in western portion of North Africa are structures shown in Kirton and Bourennani (1984) (~1:3,000,000).

Bouguer Gravity Map of Northern Africa




Figure A1. Cretaceous basins and faults, Moho contours for Tunisia

Bouguer Gravity Map of Northern Africa




Figure A2. Rifts of southern study area, structure of Libya

Bouguer Gravity Map of Northern Africa




Figure A3. Structure of central Libya, structure of Hoggar uplift

Bouguer Gravity Map of Northern Africa




Figure A4. Cretaceous basins of northeastern study area

Bouguer Gravity Map of Northern Africa




Figure A5. Structure of Mesozoic in Libya, tectonic features of West Africa

Bouguer Gravity Map of Northern Africa




Figure A6. Structure of Precambrian in Libya, structure of West Africa

Appendix B - Documentation of Gravity Data Base

Two gravity data bases have been compiled for public use in North Africa. The first of these is the Defense Mapping Agency (DMA) data base that includes 36,410 gravity points distributed over North Africa north of 10 degrees north. These data include principal facts and are in the following format: field #1 - latitude in decimal degrees, field #2 - longitude in decimal degrees, field #3 - Bouguer anomaly in milligals using a 2.67 g/cc reduction density, field #4 - inner zone terrain correction, Hammer zones (A-F), in milligals, field #5 - outer zone terrain correction, Hammer zones G and beyond, in milligals, field #6 - elevation above sea level in feet, field #7 - observed gravity in milligals, and field #8 - source number indicating the origin of the data point. A value of -99.99 milligals in the terrain correction fields means that the terrain correction for that point has not been made. This data base is available on the UTEP web page under "DMA gravity".

The second data base available is more detailed data for an area surrounding the Gulf of Sirt. Except for 92 points in this data set principal facts are not available for these data. This data set includes 5531 gravity points. The format is the same as for the DMA gravity data described above, except that only the first three fields of data are given. This data base is available on the UTEP web page under "Sirt gravity".

A third proprietary data base was used to prepare the maps in this report and those available on the UTEP web page. This data base contains 477,298 gravity points, including those virtually all of the data points in the two data sets mentioned above and has been gridded at 5 minute intervals. Neither the data points nor the gridded data are available to the public. Individuals with specific interest in these data should contact G. Randy Keller at UTEP.

Appendix C - Documentation of Seismic Data Base

We have collected earthquake listings from the bulletins of the International Seismological Centre and the U.S. Geological Survey's Earthquake Data Reports for earthquakes of $M \geq 5.0$ and associated aftershocks occurring between 1963 and 1988 within North Africa. These data have been organized into a data base using the PC based program EXCEL. We have chosen this format for two reasons. First, it allows our students the ability to work at home at odd hours to enter information in the data base. Second, the students can relatively easily make relational plots from the data base. Two diskettes containing the data base have been included with the draft of this report. Additional diskettes are available from us upon request. We eventually plan to load the data base onto our departmental main frame so that it can be accessed by users through the Internet.

Figure C1 shows an example of the main spread sheet we have created for all events of interest. The spread sheet contains information on the date, time, latitude (lat), longitude (lon), depth, magnitude (M_s , m_b or other), and location. We also keep track of whether we have obtained listings for the earthquake and plan to add columns for focal mechanism information.

For each earthquake for which we have obtained a listing, we have created the spreadsheet shown in Figure C2. The first line of the spreadsheet contains header information on the earthquake itself. Then we list all stations within 20° of the earthquake and note the station distance, station time, P-wave arrival time, S-wave arrival time, and arrival time of other phases, if given. We also record the delay time (observed arrival time minus predicted time). Magnitude information (usually $\log A/T$) is also noted, when available. We will add another column that will give information on whether we were able to obtain seismograms for a particular station and the status of the seismograms (e.g. digitized, processed, modeled) when they have been obtained.

DATE	TIME	LAT	LON	DEPTH	Ms	Mb	MAGNITUDE	LOCATION	*	LISTING
4/16/69	8:12:56	27.3	33.9	33.0			5.0	Egypt		x
4/17/69	8:01:04	27.5	33.8	42.0			4.8	Egypt		x
4/23/69	13:37:17	27.5	33.7	18.0			5.0	Egypt		x
9/2/72	14:53:38	31.3	16.0	6.0			5.1	Sidra		x
9/4/74	6:29:14	33.0	13.5	0.0			5.2	Sidra		x
12/19/76	21:21:52	33.0	13.9	10.0			4.5	Sidra		x
1/19/77	20:46:53	36.5	8.4	21.0			4.9	A'in Soltane		x
2/9/77	13:55:00	36.4	8.4	41.0			4.5	A'in Soltane		x
10/10/80	12:25:17	36.1	1.4	0.0	7.2		6.3	El Asnam		x
10/10/80	12:37:08	36.3	1.5	0.0			5.6	El Asnam		x
10/10/80	14:12:27	36.1	1.3	16.0			4.7	El Asnam		x
10/10/80	14:44:51	36.3	1.4	0.0			5.4	El Asnam		x
10/10/80	15:18:46	36.0	1.5	10.0			3.8	El Asnam		x
10/10/80	15:25:36	36.0	1.3	10.0			4.6	El Asnam		x
10/10/80	15:36:52	36.4	1.7	10.0			4.8	El Asnam		x
10/10/80	15:39:06	36.2	1.6	3.0	6		6.1	El Asnam		x
10/10/80	17:15:17	36.3	1.6	10.0			3.9	El Asnam		x
10/10/80	17:32:59	36.1	1.4	10.0	4.7		5.4	El Asnam		x
10/10/80	19:07:59	36.4	1.6	0.0	4.5		5.4	El Asnam		x
10/10/80	20:22:41	36.5	1.5	10.0			4.5	El Asnam		x
10/10/80	21:21:18	36.2	1.7	10.0			4.1	El Asnam		x
10/10/80	23:55:33	36.2	1.8	10.0	3.4		4.2	El Asnam		x
10/10/80	23:59:58	36.2	1.3	10.0	3.4		3.9	El Asnam		x
10/11/80	1:29:16	36.3	1.5	10.0			4.1	El Asnam		x
10/11/80	5:40:48	36.3	1.6	10.0	3.9		4.6	El Asnam		x
10/11/80	19:30						4.3	El Asnam		x
10/11/80	21:26:13	36.4	1.5	10.0	3.4		4.6	El Asnam		x
10/12/80	0:36:49	36.3	1.6	10.0			3.9	El Asnam		x
10/12/80	4:02:15	36.3	1.5	0.0	3.4		4.2	El Asnam		x
10/13/80	6:37:36	36.3	1.5	2.0	5.2		5.2	El Asnam		x
10/13/80	14:33:37	36.3	1.6	0.0	3.4		5	El Asnam		x
10/13/80	20:26:41	36.0	1.4	10.0			3.9	El Asnam		x
10/14/80	1:07:39	36.3	1.4	10.0			4	El Asnam		x
10/14/80							4.5	Algeria		
10/14/80	17:34:55	36.3	1.6	0.0	4.3		5.1	El Asnam		x

Figure C1. Example of page from master event spreadsheet that contains information on all earthquakes we plan to study.

Egypt	3/24/69	11:54:14	27.47N	33.87E	16km	Mag=4.9		
Station	Distance	Azimuth	P arrival	P delay	S arrival	S delay	PP arrival	PP delay
HLW	361.38	318	11:55:05	-0.06	11:55:50	5		
JER	493.70	15	11:55:20	-2.5	11:55:20	4		
CIN	1246.49	336	11:56:57	0.1	11:58:56	-7		
KSA	730.55	15	11:55:56	3.5	11:57:20	11		
VAM	1283.19	317	11:56:57	-4.3	-	-		
KER	1475.55	56	11:57:26	1.5	-	-		
ATH	1501.13	323	11:57:28	0.4	-	-		
TAB	1652.35	42	11:57:46	0.5	12:00:36	-		
VLS	1715.73	317	11:57:50	-2.8	-	-	11:58:04	12
PLG	1722.41	329	11:57:57	3.4	-	-		
GRS	1762.44	38	11:57:58	-0.3	-	-		
JAN	1809.14	322	11:58:08	4.4	-	-		
BKR	1810.25	27	11:58:01	-2.7				
SHI	1839.16	78	11:58:07	-0.1	-	-		
KRV	1855.84	35	11:58:09	0	-	-		
TIF	1868.07	29	11:58:10	-0.3	12:01:12	-4		
TEH	1893.65	57	11:58:15	1.7	-	-		
TIR	2000.39	324	-	-	12:01:50	6		
BUC	2003.73	342	11:58:18	-7.6	-	-		
AAE	2103.80	165	11:58:40	3.7	-	-		
CMP	2124.93	341	11:58:39	0.2	-	-		
VRI	2137.16	345	11:58:42	2.4	-	-		
KIS	2212.78	350	11:58:46	-1.9	-	-		

Figure C2: Example of spreadsheet data for an aftershock of the 1969 northern Red Sea earthquake sequence.

THOMAS AHRENS
SEISMOLOGICAL LABORATORY 252-21
CALIFORNIA INSTITUTE OF TECHNOLOGY
PASADENA, CA 91125

RALPH ALEWINE
NTPO
1901 N. MOORE STREET, SUITE 609
ARLINGTON, VA 22209

SHELTON ALEXANDER
PENNSYLVANIA STATE UNIVERSITY
DEPARTMENT OF GEOSCIENCES
537 DEIKE BUILDING
UNIVERSITY PARK, PA 16801

LOS ALAMOS NATIONAL LABORATORY
ATTN: TECHNICAL STAFF (PLS ROUTE)
PO BOX 1663, MS F659
LOS ALAMOS, NM 87545

LAWRENCE LIVERMORE NATIONAL LABORATORY
ATTN: TECHNICAL STAFF (PLS ROUTE)
PO BOX 808, MS L-200
LIVERMORE, CA 94551

MUAWIA BARAZANGI
INSTITUTE FOR THE STUDY OF THE CONTINENTS
3126 SNEE HALL
CORNELL UNIVERSITY
ITHACA, NY 14853

RICHARD BARDZELL
ACIS
DCI/ACIS
WASHINGTON, DC 20505

T.G. BARKER
MAXWELL TECHNOLOGIES
P.O. BOX 23558
SAN DIEGO, CA 92123

DOUGLAS BAUMGARDT
ENSCO INC.
5400 PORT ROYAL ROAD
SPRINGFIELD, VA 22151

SANDIA NATIONAL LABORATORY
ATTN: TECHNICAL STAFF (PLS ROUTE)
DEPT. 5791
MS 0567, PO BOX 5800
ALBUQUERQUE, NM 87185-0567

THERON J. BENNETT
MAXWELL TECHNOLOGIES
11800 SUNRISE VALLEY DRIVE SUITE 1212
RESTON, VA 22091

WILLIAM BENSON
NAS/COS
ROOM HA372
2001 WISCONSIN AVE. NW
WASHINGTON, DC 20007

JONATHAN BERGER
UNIVERSITY OF CA, SAN DIEGO
SCRIPPS INSTITUTION OF OCEANOGRAPHY IGPP, 0225
9500 GILMAN DRIVE
LA JOLLA, CA 92093-0225

ROBERT BLANDFORD
AFTAC
1300 N. 17TH STREET
SUITE 1450
ARLINGTON, VA 22209-2308

LOS ALAMOS NATIONAL LABORATORY
ATTN: TECHNICAL STAFF (PLS ROUTE)
PO BOX 1663, MS F665
LOS ALAMOS, NM 87545

LAWRENCE LIVERMORE NATIONAL LABORATORY
ATTN: TECHNICAL STAFF (PLS ROUTE)
PO BOX 808, MS L-207
LIVERMORE, CA 94551

STEVEN BRATT
NTPO
1901 N. MOORE STREET, SUITE 609
ARLINGTON, VA 22209

SANDIA NATIONAL LABORATORY
ATTN: TECHNICAL STAFF (PLS ROUTE)
DEPT. 5704
MS 0655, PO BOX 5800
ALBUQUERQUE, NM 87185-0655

LAWRENCE LIVERMORE NATIONAL LABORATORY
ATTN: TECHNICAL STAFF (PLS ROUTE)
PO BOX 808, MS L-221
LIVERMORE, CA 94551

RHETT BUTLER
IRIS
1616 N. FORT MEYER DRIVE
SUITE 1050
ARLINGTON, VA 22209

SANDIA NATIONAL LABORATORY
ATTN: TECHNICAL STAFF (PLS ROUTE)
DEPT. 5736
MS 0655, PO BOX 5800
ALBUQUERQUE, NM 87185-0655

SANDIA NATIONAL LABORATORY
ATTN: TECHNICAL STAFF (PLS ROUTE)
DEPT. 9311
MS 1159, PO BOX 5800
ALBUQUERQUE, NM 87185-1159

SEAN DORAN
ACIS
DCI/ACIS
WASHINGTON, DC 20505

LAWRENCE LIVERMORE NATIONAL LABORATORY
ATTN: TECHNICAL STAFF (PLS ROUTE)
LLNL
PO BOX 808, MS L-175
LIVERMORE, CA 94551

RICHARD J. FANTEL
BUREAU OF MINES
DEPT OF INTERIOR, BLDG 20
DENVER FEDERAL CENTER
DENVER, CO 80225

MARK D. FISK
MISSION RESEARCH CORPORATION
735 STATE STREET
P.O. DRAWER 719
SANTA BARBARA, CA 93102-0719

PACIFIC NORTHWEST NATIONAL LABORATORY
ATTN: TECHNICAL STAFF (PLS ROUTE)
PO BOX 999, MS K6-48
RICHLAND, WA 99352

LORI GRANT
MULTIMAX, INC.
311C FOREST AVE. SUITE 3
PACIFIC GROVE, CA 93950

CATHERINE DE GROOT-HEDLIN
SCRIPPS INSTITUTION OF OCEANOGRAPHY
UNIVERSITY OF CALIFORNIA, SAN DIEGO
INSTITUTE OF GEOPHYSICS AND PLANETARY PHYSICS
LA JOLLA, CA 92093

PACIFIC NORTHWEST NATIONAL LABORATORY
ATTN: TECHNICAL STAFF (PLS ROUTE)
PO BOX 999, MS K7-34
RICHLAND, WA 99352

LESLIE A. CASEY
DOE
1000 INDEPENDENCE AVE. SW
NN-40
WASHINGTON, DC 20585-0420

DR. STANLEY DICKINSON
AFOSR
110 DUNCAN AVENUE
SUITE B115
BOLLING AFB, WASHINGTON D.C. 20332-001

DIANE I. DOSER
DEPARTMENT OF GEOLOGICAL SCIENCES
THE UNIVERSITY OF TEXAS AT EL PASO
EL PASO, TX 79968

SANDIA NATIONAL LABORATORY
ATTN: TECHNICAL STAFF (PLS ROUTE)
SNL, DEPT. 4115
MS 0329, PO BOX 5800
ALBUQUERQUE, NM 87185-0329

JOHN FILSON
ACIS/TMG/NTT
ROOM 6T11 NHB
WASHINGTON, DC 20505

LAWRENCE LIVERMORE NATIONAL LABORATORY
ATTN: TECHNICAL STAFF (PLS ROUTE)
PO BOX 808, MS L-208
LIVERMORE, CA 94551

ROBERT GEIL
DOE
PALAIS DES NATIONS, RM D615
GENEVA 10, SWITZERLAND

HENRY GRAY
SMU STATISTICS DEPARTMENT
P.O. BOX 750302
DALLAS, TX 75275-0302

I. N. GUPTA
MULTIMAX, INC.
1441 MCCORMICK DRIVE
LARGO, MD 20774

PACIFIC NORTHWEST NATIONAL LABORATORY
ATTN: TECHNICAL STAFF (PLS ROUTE)
PO BOX 999, MS K6-40
RICHLAND, WA 99352

DAVID HARKRIDER
PHILLIPS LABORATORY
EARTH SCIENCES DIVISION
29 RANDOLPH ROAD
HANSCOM AFB, MA 01731-3010

THOMAS HEARN
NEW MEXICO STATE UNIVERSITY
DEPARTMENT OF PHYSICS
LAS CRUCES, NM 88003

DONALD HELMBERGER
CALIFORNIA INSTITUTE OF TECHNOLOGY
DIVISION OF GEOLOGICAL & PLANETARY SCIENCES
SEISMOLOGICAL LABORATORY
PASADENA, CA 91125

ROBERT HERRMANN
ST. LOUIS UNIVERSITY
DEPARTMENT OF EARTH & ATMOSPHERIC SCIENCES
3507 LACLEDE AVENUE
ST. LOUIS, MO 63103

ANTHONY IANNACCHIONE
BUREAU OF MINES
COCHRANE MILL ROAD
PO BOX 18070
PITTSBURGH, PA 15236-9986

THOMAS JORDAN
MASSACHUSETTS INSTITUTE OF TECHNOLOGY
EARTH, ATMOSPHERIC & PLANETARY SCIENCES
77 MASSACHUSETTS AVENUE, 54-918
CAMBRIDGE, MA 02139

ANATOLI L. LEVSHIN
DEPARTMENT OF PHYSICS
UNIVERSITY OF COLORADO
CAMPUS BOX 390
BOULDER, CO 80309-0309

GARY MCCARTOR
SOUTHERN METHODIST UNIVERSITY
DEPARTMENT OF PHYSICS
DALLAS, TX 75275-0395

PACIFIC NORTHWEST NATIONAL LABORATORY
ATTN: TECHNICAL STAFF (PLS ROUTE)
PO BOX 999, MS K7-22
RICHLAND, WA 99352

RICHARD MORROW
USACDA/IVI
320 21ST STREET, N.W.
WASHINGTON, DC 20451

JAMES HAYES
NSF
4201 WILSON BLVD., ROOM 785
ARLINGTON, VA 22230

MICHAEL HEDLIN
UNIVERSITY OF CALIFORNIA, SAN DIEGO
SCRIPPS INSTITUTION OF OCEANOGRAPHY IGPP, 0225
9500 GILMAN DRIVE
LA JOLLA, CA 92093-0225

EUGENE HERRIN
SOUTHERN METHODIST UNIVERSITY
DEPARTMENT OF GEOLOGICAL SCIENCES
DALLAS, TX 75275-0395

VINDELL HSU
HQ/AFTAC/TTR
1030 S. HIGHWAY A1A
PATRICK AFB, FL 32925-3002

RONG-SONG JIH
PHILLIPS LABORATORY
EARTH SCIENCES DIVISION
29 RANDOLPH ROAD
HANSCOM AFB, MA 01731-3010

THORNE LAY
UNIVERSITY OF CALIFORNIA, SANTA CRUZ
EARTH SCIENCES DEPARTMENT
EARTH & MARINE SCIENCE BUILDING
SANTA CRUZ, CA 95064

DONALD A. LINGER
DNA
6801 TELEGRAPH ROAD
ALEXANDRIA, VA 22310

KEITH MCLAUGHLIN
MAXWELL TECHNOLOGIES
P.O. BOX 23558
SAN DIEGO, CA 92123

BRIAN MITCHELL
DEPARTMENT OF EARTH & ATMOSPHERIC SCIENCES
ST. LOUIS UNIVERSITY
3507 LACLEDE AVENUE
ST. LOUIS, MO 63103

JOHN MURPHY
MAXWELL TECHNOLOGIES
11800 SUNRISE VALLEY DRIVE SUITE 1212
RESTON, VA 22091

JAMES NI
NEW MEXICO STATE UNIVERSITY
DEPARTMENT OF PHYSICS
LAS CRUCES, NM 88003

CHARLES ODDENINO
BUREAU OF MINES
810 7TH ST. NW
WASHINGTON, DC 20241

JOHN ORCUTT
INSTITUTE OF GEOPHYSICS AND PLANETARY PHYSICS
UNIVERSITY OF CALIFORNIA, SAN DIEGO
LA JOLLA, CA 92093

FRANK PILOTTE
HQ/AFTAC/TT
1030 S. HIGHWAY A1A
PATRICK AFB, FL 32925-3002

KEITH PRIESTLEY
DEPARTMENT OF EARTH SCIENCES
UNIVERSITY OF CAMBRIDGE
MADINGLEY RISE, MADINGLEY ROAD
CAMBRIDGE, CB3 0EZ UK

JAY PULLI
RADIX SYSTEMS, INC.
6 TAFT COURT
ROCKVILLE, MD 20850

PACIFIC NORTHWEST NATIONAL LABORATORY
ATTN: TECHNICAL STAFF (PLS ROUTE)
PO BOX 999, MS K5-72
RICHLAND, WA 99352

PAUL RICHARDS
COLUMBIA UNIVERSITY
LAMONT-DOHERTY EARTH OBSERVATORY
PALISADES, NY 10964

DAVID RUSSELL
HQ AFTAC/TTR
1030 SOUTH HIGHWAY A1A
PATRICK AFB, FL 32925-3002

PACIFIC NORTHWEST NATIONAL LABORATORY
ATTN: TECHNICAL STAFF (PLS ROUTE)
PO BOX 999, MS K6-84
RICHLAND, WA 99352

LAWRENCE LIVERMORE NATIONAL LABORATORY
ATTN: TECHNICAL STAFF (PLS ROUTE)
PO BOX 808, MS L-202
LIVERMORE, CA 94551

CHANDAN SAIKIA
WOODWARD-CLYDE FEDERAL SERVICES
566 EL DORADO ST., SUITE 100
PASADENA, CA 91101-2560

THOMAS SERENO JR.
SCIENCE APPLICATIONS INTERNATIONAL
CORPORATION
10260 CAMPUS POINT DRIVE
SAN DIEGO, CA 92121

AVI SHAPIRA
SEISMOLOGY DIVISION
THE INSTITUTE FOR PETROLEUM RESEARCH AND
GEOPHYSICS
P.O.B. 2286, NOLON 58122 ISRAEL

ROBERT SHUMWAY
410 MRAK HALL
DIVISION OF STATISTICS
UNIVERSITY OF CALIFORNIA
DAVIS, CA 95616-8671

MATTHEW SIBOL
ENSCO, INC.
445 PINEDA COURT
MELBOURNE, FL 32940

SANDIA NATIONAL LABORATORY
ATTN: TECHNICAL STAFF (PLS ROUTE)
DEPT. 5704
MS 0979, PO BOX 5800
ALBUQUERQUE, NM 87185-0979

LOS ALAMOS NATIONAL LABORATORY
ATTN: TECHNICAL STAFF (PLS ROUTE)
PO BOX 1663, MS D460
LOS ALAMOS, NM 87545

DAVID SIMPSON
IRIS
1616 N. FORT MEYER DRIVE
SUITE 1050
ARLINGTON, VA 22209

LAWRENCE LIVERMORE NATIONAL LABORATORY
ATTN: TECHNICAL STAFF (PLS ROUTE)
PO BOX 808, MS L-195
LIVERMORE, CA 94551

JEFFRY STEVENS
MAXWELL TECHNOLOGIES
P.O. BOX 23558
SAN DIEGO, CA 92123

LOS ALAMOS NATIONAL LABORATORY
ATTN: TECHNICAL STAFF (PLS ROUTE)
PO BOX 1663, MS C335
LOS ALAMOS, NM 87545

BRIAN SULLIVAN
BOSTON COLLEGE
INSITUTE FOR SPACE RESEARCH
140 COMMONWEALTH AVENUE
CHESTNUT HILL, MA 02167

DAVID THOMAS
ISEE
29100 AURORA ROAD
CLEVELAND, OH 44139

NAFI TOKSOZ
EARTH RESOURCES LABORATORY, M.I.T.
42 CARLTON STREET, E34-440
CAMBRIDGE, MA 02142

LAWRENCE TURNBULL
ACIS
DCI/ACIS
WASHINGTON, DC 20505

FRANK VERNON
UNIVERSITY OF CALIFORNIA, SAN DIEGO
SCRIPPS INSTITUTION OF OCEANOGRAPHY IGPP, 0225
9500 GILMAN DRIVE
LA JOLLA, CA 92093-0225

GREG VAN DER VINK
IRIS
1616 N. FORT MEYER DRIVE
SUITE 1050
ARLINGTON, VA 22209

TERRY WALLACE
UNIVERSITY OF ARIZONA
DEPARTMENT OF GEOSCIENCES
BUILDING #77
TUCSON, AZ 85721

LAWRENCE LIVERMORE NATIONAL LABORATORY
ATTN: TECHNICAL STAFF (PLS ROUTE)
PO BOX 808, MS L-205
LIVERMORE, CA 94551

DANIEL WEILL
NSF
EAR-785
4201 WILSON BLVD., ROOM 785
ARLINGTON, VA 22230

JAMES WHITCOMB
NSF
NSF/ISC OPERATIONS/EAR-785
4201 WILSON BLVD., ROOM 785
ARLINGTON, VA 22230

RU SHAN WU
UNIVERSITY OF CALIFORNIA SANTA CRUZ
EARTH SCIENCES DEPT.
1156 HIGH STREET
SANTA CRUZ, CA 95064

JIAKANG XIE
COLUMBIA UNIVERSITY
LAMONT DOHERTY EARTH OBSERVATORY
ROUTE 9W
PALISADES, NY 10964

PACIFIC NORTHWEST NATIONAL LABORATORY
ATTN: TECHNICAL STAFF (PLS ROUTE)
PO BOX 999, MS K5-12
RICHLAND, WA 99352

SANDIA NATIONAL LABORATORY
ATTN: TECHNICAL STAFF (PLS ROUTE)
DEPT. 6116
MS 0750, PO BOX 5800
ALBUQUERQUE, NM 87185-0750

JAMES E. ZOLLWEG
BOISE STATE UNIVERSITY
GEOSCIENCES DEPT.
1910 UNIVERSITY DRIVE
BOISE, ID 83725

OFFICE OF THE SECRETARY OF DEFENSE
DDR&E
WASHINGTON, DC 20330

DEFENSE TECHNICAL INFORMATION CENTER
8725 JOHN J. KINGMAN ROAD
FT BELVOIR, VA 22060-6218 (2 COPIES)

TACTEC
BATTELLE MEMORIAL INSTITUTE
505 KING AVENUE
COLUMBUS, OH 43201 (FINAL REPORT)

PHILLIPS LABORATORY
ATTN: XPG
29 RANDOLPH ROAD
HANSCOM AFB, MA 01731-3010

PHILLIPS LABORATORY
ATTN: TSML
5 WRIGHT STREET
HANSCOM AFB, MA 01731-3004

PHILLIPS LABORATORY
ATTN: GPE
29 RANDOLPH ROAD
HANSCOM AFB, MA 01731-3010

PHILLIPS LABORATORY
ATTN: PL/SUL
3550 ABERDEEN AVE SE
KIRTLAND, NM 87117-5776 (2 COPIES)